


INCREASING MARKET INTERCONNECTION AN ANALYSIS OF THE ITALIAN ELECTRICITY SPOT MARKET



Increasing Market Interconnection

An analysis of the Italian Electricity Spot Market*

by

Federico Boffa[‡] Viswanath Pingali[§] and Davide Vannoni[‡]

Abstract: In this paper we estimate the benefits resulting from interconnecting the Italian electricity spot market. The market is currently divided into two geographic zones – North and South – with limited interzonal transmission capacity that often induces congestion, and hence potential inefficiency. By simulating a fully interconnected market, we predict that the total spot market expenditure would reduce substantially. Moreover, since savings do not increase linearly with the size of new transmission capacity, even a slight increment to transmission capacity is found to bring substantial benefits to end users. Finally, our analysis shows that the (partly State owned) dominant firm in the market is not maximizing short-term profits.

Keywords: Transmission constraints, zonal pricing, congestion, electricity industry.

JEL classification: H44, L21, L22, L50, L94

1. Introduction

In the Lisbon agenda, in March 2002, the European Union recognized market integration – both within, and across its member countries – as a prerequisite for sustained economic growth. In this paper we quantify the expenditure reduction that results from one such interconnection: the case of the Italian electricity spot market. Specifically, our study has two aims. The first one is to characterize the objective function of a pivotal electricity generator in a *semi-regulated* environment with a mixed ownership structure: the Italian treasury and private investors. The second one is to estimate the expenditure reduction in the spot market after congestion removal – in the form of lower electricity prices primarily due to a more efficient utilization of existing generation capacity.

The Italian electricity market is a good example if one wants to consider the benefits due to improved market interconnection. At present, there is a hot debate in Italy regarding infrastructural enhancements, primary among which is the discussion on the electricity transmission network. While the proponents of such venture argue that an improved network would reduce prices substantially, its opponents claim that it would lead to environmental damages without bringing about any significant benefits to end-users. To our knowledge, there is no scientific attempt on either side to quantify either

costs or benefits. Therefore, our study can be viewed as partially bridging this gap by estimating the benefits of interconnection.

Moreover, the structure of the Italian electricity spot market is particularly suitable for addressing the question at hand. Currently, the market is divided into several zones, with the amount of electricity that can flow across zones being limited due to insufficient transmission capacity. Generators, with varying degrees of efficiency and capacity, are located all over the country. While a no arbitrage condition ensures that the market clearing price is the same across all zones when the transmission capacity is not fully saturated, zonal prices differ when the transmission constraint is binding. One way to eliminate this price difference is to invest in inter-zonal transmission capacity, so that generators can reallocate production among various generating units, thereby reducing overall costs. Therefore, the question addressed in our paper can be restated as follows: what is the change in the expenditure incurred by the Italian economy on the electricity spot market, after sufficient inter-zonal transmission capacity is installed such that the price difference between zones is reduced or completely eliminated? Lower electricity prices are an indication of a more efficient market. While in the short run demand is inelastic, and thus total welfare is invariant to price changes, in the long run this does not occur, since the elasticity of demand is higher.

Expenditure reductions from interconnection are computed based on a behavioral assumption on the dominant player in the market, *Enel*. A natural assumption of market leader being a short-run profit maximizer need not be an appropriate one in the Italian case for a variety of reasons. First, *Enel* is a partly State-owned firm. Second, electricity is a necessary good, and hence the fear of regulatory intervention is strong if there is an evidence of exploitation of market power. Finally, there is a potential chance of entry if short-run profits were too high. In other words, dynamic considerations could lead a firm away from myopic profit maximization paradigm in the short run. Therefore we assume that *Enel*'s objective function has two portions. The first one is the short-run profit maximization and the second one is the minimization of consumers' expenditure. While the former represents the short-run interest of *Enel*'s private investors, the latter is a proxy both for *Enel*'s long run profit considerations (prevention of regulatory retaliation and entry), as well as the public ownership incentives (end-users' welfare).

We identify the relative weights of these two contrasting objectives empirically. We find that *Enel* places a weight of roughly 2/3 on its profits and 1/3 on consumers' expenditure. Under the assumption that the weights in the objective function of *Enel* do not change due to interconnection, we find that easing bottlenecks would result in a saving of just over 10 million euros to the end-users of electricity

in the month of May 2004, the sample period considered here. These savings account for almost 6% of spot market expenditure in the congested hours of the corresponding time period. As we do not have complete data on the costs of providing additional transmission capacity, we characterize the cost savings alone. One interesting issue is the question of optimal price differential. It is conceivable that the total welfare gain (net of costs of increasing transfer capacity) might be maximized at a point where prices are not always uniform across zones. Though a policy maker is likely to install *sufficient* transmission capacity so that the problem of inadequate interconnection does not reoccur in the near future, we also consider the expenditure savings for end users accruing with "less than full" interconnection (i.e. completing resolving congestion only in a limited amount of hours).ⁱⁱ

The industrial organization literature is rich in studies that investigate various nuances of (de)regulation in electricity markets. In a theoretical study, Borenstein, Bushnell and Stoft (2000) show that a small investment in transmission capacity can substantially improve welfare. In their analysis of Norwegian electricity markets, Johnsen, Verma and Wolfram (2004) find that when the transmission capacity across zones binds, generators can more readily exercise market power. In this regard, the main objective of our paper is to estimate the savings associated with congestion elimination.

Market imperfections – in the sense of market price distortion (away from the first best) – are well studied in the literature. The empirical literature suggests that there is little correlation between market concentration and the degree of market power exercised by electricity generators. For example, Wolfram (1999) shows that the mark ups in the England and Wales electricity spot market in the early 1990s were lower than those implied by a Cournot duopoly model. Sweeting (2007) shows that, in the second half of 1990s, firms in the English electricity market exercised significant market power "in spite of decreasing market concentration". Borenstein, Bushnell and Wolak (2002) find that the presence of market power doubled the wholesale electricity price in the California's electricity market. Hortaçsu and Puller (2008) show that large generators' bids in the Texas market support the assumption of profit maximization. Another contribution this paper makes is to show that *Enel* does not exercise the fullest extent of its market power.

The rest of the paper is organized as follows. Section two describes the Italian electricity spot market. In the third section we present our theoretical model. Section four discusses our dataset and presents some summary statistics. In section five we present our results along with counterfactual simulations. Section six presents some extensions and robustness checks. Section 7 concludes.

2. The Italian Electricity Spot Market

2.1 Market Organizationⁱⁱⁱ

In 2004, Italian national electricity consumption was around 322 terawatt Hours (TWh), an increase of about 0.4% from the previous year. Hydrocarbons (coal, oil and natural gas) accounted for around seventy five percent of the overall installed generation capacity. Hydroelectric power plants accounted for around twenty five percent and other bio-friendly generation plants (wind, photovoltaic, etc.) accounted for less than 0.5% of the total production. Nuclear energy has been banned in Italy since 1988. This ban, combined with a lack of any substantial competition, is often blamed for Italy's high electricity prices.

Transactions in the Italian electricity market occur both through a spot market and through individual bilateral contracts signed between the generators and the end users. The spot market is designed to cater to the needs of the residential sector and all the industrial customers that do not sign individual contracts. It also acts as a buffer for any unanticipated short-term shocks to the demand, and operates on an hourly basis.

Residential and industrial customers are subject to two different sets of market rules. The residential sector is supplied through an intermediary (single buyer), who operates via the spot market. It accounted for more than 95% of the overall spot market quantity. Residential consumers pay a tariff set by the Italian electricity regulator (AEEG), fixed throughout Italy irrespective of zone, and subject to a quarterly review. Industrial spot market customers pay a weighted average of previous month's spot market clearing prices, irrespective of zone. Therefore the spot market demand can be safely regarded as independent of that day's spot market clearing prices. Hence, it is fixed for spot market considerations.

For generators, nodal pricing is in place. That is, generators participating in the spot market receive the market clearing price of the zone in which they are located. The *Market Operator (MO)* solicits bids from all generators each hour every day. A typical bid submitted by a generator consists of at most fourteen price-quantity combinations. A price-quantity combination is a commitment from the generator of the amount of electricity he is willing to supply at that price. The *Transmission System Operator (TSO)* announces the maximum amount of electricity that can be transferred across zones, which depends on several engineering criteria. The transmission network needs to undergo regular maintenance operations, thereby frequently cramping the maximum amount of electricity that can flow across zones. As a result, transmission capacity is subject to wide fluctuations across various hours, even within a single day.

Given the location of the bidding generators, their supply curves, the transmission constraint set by the *TSO* and the forecasted demand in each zone, the *MO* solves the *problem of optimal dispatch*, whose objective is to minimize total expenditure on electricity in the spot market for a given electricity usage. The *MO* then determines the market clearing price and quantities in each zone. All generators whose submitted bids are below the market clearing price are invited to generate the quantities they committed to in their bids.

The organization of bilateral contracts is straightforward. Contracting parties negotiate a mutually agreeable price-quantity schedule. A set of rules, representing no arbitrage conditions, ensures that spot and contract markets can coexist and neither of them unravels. These contracts are private information (to the generator). For the reasons explained in section 4, we concentrate only on the spot market. Therefore, in the rest of the analysis, the word "market" refers to the spot market alone.

2.2 Zonal Structure

Geographically, the Italian electricity market is divided into several zones. Each zone identifies a geographical area within which the grid is *almost perfect* in the sense that congestion is rarely observed. The regulator defines these zones and makes frequent changes to the geographical boundaries of a zone either by joining two zones or by separating an existing zone, depending on the amount of observed congestion. In 2004, there were seven large zones, five in continental Italy (North, Center-North, Center-South, South and Calabria) and one each in the islands of Sardinia and Sicily. In 2004, the most critical bottleneck occurred between North and Center-North (separated 48% of all hours), while Center-North and Center-South were seldom separated (around 4% of the hours) and Center-South were never separated.

3. The Baseline Model

In the baseline model we consider a dominant firm, *Enel*, facing a competitive fringe in each regional market if transmission congestion takes place, and in the integrated market otherwise. In section 6 and in the Appendix we extend the analysis to the oligopoly case.

3.1 Model Description

We consider the most critical bottleneck, occurring between North and Centre-North. We thus divide the market into two zones, North (above the bottleneck) and South (below the bottleneck). A *Market Operator (MO)* coordinates the actions of the two zones, and demand and supply conditions in

the overall market. On the demand side, the price is fixed (and equal across zones) - hence the spot market demand if fully inelastic. On the supply side, the structure is similar in both zones. In each zone, there is a dominant firm, *Enel*, characterized by a substantial market power. Besides, there exists a competitive fringe in each zone. The assumption on the timing of the game is as follows: every hour, the *Market Operator* predicts the quantity demanded in the retail market and announces the same in the spot market. There is an exogenously set transmission constraint, known to all suppliers. This constraint defines the maximum amount of electricity that can be transferred across zones in the market. The firms then place their bids consisting of price – quantity combinations. These supply curves, along with demand and supply locations, and the transmission network constraint, form the basis for the *optimal dispatch* algorithm explained in the previous section.

3.2 Behavior of the Fringe

The competitive fringe consists of several firms, each of which, in turn, comprises several plants with varying efficiency levels. We assume that these plants produce their entire capacity whenever the price is above marginal cost. The dominant firm, *Enel*, acts as a residual demand monopolist. We assume that *Enel* estimates its own demand function in the following way: it estimates the supply curve of the fringe and subtracts it from the fixed demand in each zone, thereby calculating its downward sloping demand. This idea is illustrated in Figure 1.

As the spot market price increases, more fringe generators find it profitable to employ more plants for electricity generation because the price exceeds their marginal cost. Hence, the supply curve of the fringe is upward sloping, as represented by the thick dashed line in Figure 1. The thin vertical line at Q^{spot} represents the total electricity demanded in the spot market. The residual demand curve, obtained by subtracting the dashed line from the fixed demand, is represented by the thick downward sloping line in the picture.

For every hour each plant submits a menu of price-quantity combinations (a supply curve). We use actual bids to characterize the supply function of the fringe, thereby obtaining an estimate of the slope of *Enel*'s residual demand *RD*'. As the actual supply functions are step functions comprising discrete price-quantity pairs, we follow Wolak's (2003) and Hortaçsu and Puller's (2008) approach, and smooth step functions using kernel functions. Furthermore, in section 6, we compare our results to those obtained by using linear supply functions.

For ease of exposition, suppose the fringe supply is linear. For each zone z, the quantity supplied at price P at a given hour h is given by:

$$Q_{n,h}^f = \gamma_{n,h} + \beta_{n,h} P_{n,h} \tag{1}$$

$$Q_{s,h}^f = \gamma_{s,h} + \beta_{s,h} P_{s,h} \tag{2}$$

 $\beta_{z,h}$ is the slope of the supply function of the fringe in zone z in hour h, and consequently - $\beta_{z,h}$ is the slope of the residual demand function faced by Enel.

3.3 Behavior of Enel

It is not unreasonable to assume that *Enel*, after having observed the fringe's behavior over several periods, would be able to estimate (1) and (2).

We now characterize the demand faced by *Enel* under limited interconnection between the markets. We call this regime (C). Say the maximum transfer capacity for hour h and day d is given by $T_{d,h}$. This demand function can be seen clearly in Figures 2a and 2b. Given our data, such demand function can be identified for each hour and each zone.

In the case where the electricity market is unified, denoted by the regime (UC), we assume that *Enel* is still the residual demand monopolist, albeit now for the combined demand. Also, we have separate fringes participating in the market. Total fringe supply is the summation (across quantities) of both fringes. Figure 3 depicts the summation of the two fringe supplies, and Figure 4 matches the aggregate fringe supply with the residual demand faced by *Enel* in the UC regime. As already mentioned, *Enel* might not behave like a profit-maximizing monopolist. Therefore the next task is to characterize the objective function of *Enel*.

3.4 Objective Function of *Enel*

As Enel's stock in 2004 was held jointly by the Italian Treasury (around 40%) and private investors (the remainder), we assume that its objective function is a convex combination of public incentive and profits. As the demand is inelastic, the consumer surplus theoretically is infinite. However, the change in consumer surplus is well defined, and we measure it by the change in the total expenditure on electricity. Let α be the weight given to profits. Then, the objective function of Enel for a given hour h can be written as:

$$\max_{P_{n,h},P_{s,h}} \sum_{z=n,s} \left[\alpha_{z,h} \left(P_{z,h} Q_{z,h}^{Enel} - C \left(Q_{z,h}^{Enel} \right) \right) + \left(1 - \alpha_{z,h} \right) \left(- P_{z,h} Q_{z,h}^{spot} \right) \right] \tag{4}$$

 $Q_{z,h}^{spot} = Q_{z,h}^f + Q_{z,h}^{Enel}$ represents the overall quantity produced by *Enel* and by the fringe in the spot market in zone z.

Observe that, in modeling *Enel*'s objective function (4), we take the bilateral (physical) contracts as given, thereby ignoring any profits from contracts. This does not hamper the identification of α as long as contracts market prices equal spot market prices (a no-arbitrage condition that has to hold in expectations), and as long as *Enel* faces the same incentives in trading off short run profits for reduced consumer expenditure in the spot and in the contracts market.^x

After having solved for the first order conditions of (4), since we have information on observed prices $P_{z,h}$ and Enel's marginal costs, and since we have estimates of $\beta_{z,h}$, we can compute the weight on profit, $\alpha_{z,h}$, by equating the predicted prices from (4) with the observed prices in the market. More precisely,

$$\alpha_{z,h} = \frac{Q_{z,h}^{spot}}{Q_{z,h}^{spot} + P_{z,h} \frac{\partial Q_{z,h}^{Enel}}{\partial P_{z,h}} + Q_{z,h}^{Enel} - C'(Q_{z,h}^{Enel}) \frac{\partial Q_{z,h}^{Enel}}{\partial P_{z,h}}}$$
where
$$\frac{\partial Q_{z,h}^{Enel}}{\partial P_{z,h}} = -\beta_{z,h}.$$
(5)

We let $\alpha_{z,h}$ to be different for different periods and different zones. Indeed, in a dynamic setup, Enel could potentially consider α to be a variable, instead of a parameter. That is, by varying α strategically, one could construct a situation where a better result for the end-users can be achieved, while Enel's profits over the time horizon considered are the same (as in uniform α). However, the results presented in Section 5 show that the computed α does not vary much across hours (the standard deviation is only 0.04).

3.5 Evaluating Counterfactual

To estimate the savings from interconnection, we need to estimate the prices in the integrated market. For evaluating the counterfactual, we make the following assumptions. As a result of improving the transmission network: a) the behavior of the fringe does not change, and b) the objective function of *Enel* does not change. We compute α_h in the integrated market as the weighted average of α_n and α_s .

$$\alpha_h = \frac{\alpha_{n,h} Q_{n,h}^{Enel} + \alpha_{s,h} Q_{s,h}^{Enel}}{Q_{n,h}^{Enel} + Q_{s,h}^{Enel}}$$

$$\tag{6}$$

Therefore, the objective function in the integrated market is given by:

$$\max_{P_{h}} \alpha_{h} \left[P_{h} \left(Q_{n,h}^{Enel} + Q_{s,h}^{Enel} \right) - C \left(Q_{n,h}^{Enel} + Q_{s,h}^{Enel} \right) \right] + \left(1 - \alpha_{h} \right) \left[- P_{h} \left(Q_{n,h}^{spot} + Q_{s,h}^{spot} \right) \right]$$
(7)

From the first order conditions, the quantity and the price in the integrated market are as follows:

$$P_{h} = \frac{(1 - \alpha_{h})Q_{h}^{spot} + \alpha_{h} \left(C'(Q_{h}^{Enel})\frac{\partial Q_{h}^{Enel}}{\partial P_{h}} - Q_{h}^{Enel}\right)}{\alpha_{h}\frac{\partial Q_{h}^{Enel}}{\partial P_{h}}}$$

$$(8)$$

$$Q_{h}^{Enel} = \frac{Q_{h}^{spot} - \alpha_{h}(\gamma_{n} + \gamma_{s}) + \alpha_{h}C'(Q_{h}^{Enel})\frac{\partial Q_{h}^{Enel}}{\partial P_{h}}}{2\alpha_{h}}$$

$$(9)$$

where $Q_h^{spot} = Q_{n,h}^{spot} + Q_{s,h}^{spot}$, $Q_h^{Enel} = Q_{n,h}^{Enel} + Q_{s,h}^{Enel}$, γ_n and γ_s are the intercepts of the fringe supplies and $\frac{\partial Q_h^{Enel}}{\partial P_h} = -(\beta_n + \beta_s)$ is the slope of *Enel*'s residual demand in the integrated market. See Figures 3 and 4

4. Data

4.1 Data Sources

The Italian electricity market data are collected from two sources. The primary one is the Italian Electricity Market Website. The market operator, through the website, releases information on all submitted bids one year from the time of market occurrence. The information for each bid, plant and hour consists mainly of the price-quantity pair, whether or not the bid has been accepted, and whether or not it has been cancelled. The Website also reports the hourly zonal equilibrium price and quantity combinations. From these, we compute hourly price differences in the market, and identify the congested hours as those where prices differ across zones.

From the information on bids, it is straightforward to estimate the supply function of the fringe firms for every hour and every zone separately. The data on estimated marginal costs for all thermo-electric (coal, oil or natural gas based) generating plants are provided by *Researches for Economics and Finance* (REF).

4.2 Aggregation of Zones

As previously mentioned, the Italian electricity market is divided into seven large zones: North, Center-North, Center-South, South, Calabria, Sicily and Sardinia. We ignore the islands of Sicily and Sardinia for the analysis because they could be regarded as almost separate markets at the time of the analysis. For computational convenience, we further combine the remaining four zones into two zones, *North* and *South*, based on geographical proximity and frequency of bottleneck occurrences. The North zone consists of just the North, while the South zone consists of Center-North, Center-South, South and Calabria.

4.3 Choice of Time Period

Our analysis focuses on the month of May 2004. The choice of the month is due to the fact that saturation in transmission capacity occurs in May for 46% of the hours, a figure very close to the average value for the year 2004, 48%. Since the question addressed in the paper is estimating savings due to elimination of transmission congestion, May could be regarded as a representative month in terms of transmission line saturation.

Out of the thirty one days in May 2004, weekends account for ten days. We ignore weekends for the purposes of this paper because the demand is generally low, and hence the supply pattern of the fringe could be different. Moreover, the transmission constraint does not bind and hence prices are the same across zones. This information is summarized in Table 1.

On average the highest price difference occurred in hour 20 (7 P.M. to 8 P.M.) while the smallest price disparity occurred in hour 5 (4 A.M. to 5 A.M.). Quantity (Q^{spot}) is always larger in the North, and peak hours are 11 A.M and 5 P.M. Sample characteristics are summarized in graphs 1 and 2.

4.4 Analysis of Bids

To estimate the supply curve of the fringe, we consider all the bids presented by generators other than *Enel*. As mentioned earlier, *Enel* is assumed to act as a residual demand monopolist. The reason for this assumption is due to the market structure of power generators, among which *Enel* had clearly significant market power in 2004. There are 13 firms other than *Enel*, but only *Edison*, *Endesa*, *Enipower* and *Tirreno Power* have market shares beyond 2%. Ignoring the zones of Sicily and Sardinia, *Enel* has 65% of the capacity (88% in the South and 45% in the North). Moreover, only *Edison* is active with a market share greater than 5% in either zone. While our baseline assumption is

that of a dominant firm with a competitive fringe in both zones, in Section 6 we consider also an oligopoly structure, in which *Edison* is assumed to behave strategically (and not like a fringe player).

The admissible price set ranges from zero (negative bids are not allowed) to 500 Euros per megawatt hour (price cap). During certain hours, generators may have an incentive to bid a price of zero for strictly positive quantities. This zero price bid ensures that the generator would be asked to produce in equilibrium, while receiving the market clearing price. By assumption, a fringe generator is not powerful enough to unilaterally influence market clearing prices. Therefore, when a generator bids a zero price for a strictly positive quantity, he merely ensures spot market participation and actually obtains a strictly positive price. xii

According to the model we propose, the estimated supply function of the fringe reflects Enel's belief about the fringe firms' behavior. Considering such extreme bids would bias the estimate of β . Therefore, to avoid such a situation, we took the maximum and minimum market clearing price for every hour and constructed a "reasonable price" interval for every hour separately. The lower (upper) bound of the interval was 25% below (25% above) the minimum (maximum) price ever realized for that hour. If the lower bound is below zero, we set it equal to zero. The maximum and the minimum prices realized every hour are given in Graph 3. Out of the remaining bids, we ignore those with a zero bid price.

4.5 The Cost Function of Enel

Most generators are multi-plant firms. Based on the location of the plant, its production process and the inputs required for electricity generation, marginal costs for each plant may be accurately computed using engineering data. In such computations, it is assumed that the marginal cost of any given plant is constant. Since each plant has a specific efficiency level, the marginal cost of a generator is a weakly increasing function, i.e., a step function. REF provides us with engineering estimates of the marginal costs of every thermo–electric plant of *Enel* and of fringe suppliers. Graph 4 shows the marginal cost of *Enel*'s thermoelectric plants. Xiii

4.6 Bilateral Contracts versus the Spot Market

In this paper we only consider the spot market and not the contracts market. The data on the contracts market are proprietary and unavailable to us. Bilateral contracts form a significant portion of electricity consumption in Italy. The details of the amount of electricity transacted in the spot market as

a fraction of overall consumption, termed as liquidity, are presented in Graph 5. On average, liquidity is around 30%.

The Italian contracts are mostly bilateral physical contracts and not just the financial instruments (hedge contracts) previously addressed in the literature (see Wolak (2000)). A retailer/generator who signs the contract is expected to physically deliver electricity to the consumer involved in the contract at a pre-determined and mutually agreed price. From the few contracts we have obtained, the price agreed upon is often a weighted average of the previous month's spot market clearing price (implying that in expectations consumers are indifferent between contracts and spot markets). Therefore, assuming this as a general rule, our estimate of expenditure reduction triggered by interconnection is conservative.

The contract market plays a role in determining the 'marginal plant' Enel uses for production in the spot market. As honoring bilateral contracts is mandatory, while participation in the spot market is not, any given generator uses its most efficient plants to supply the contract market. Therefore it becomes crucial to determine the marginal plant, i.e., the most efficient plant employed in the spot market. The method with which we identify the marginal plant in the unintegrated regime is as follows. We manually identify, using data on bids and marginal cost, the most efficient of Enel's plants that participated in the spot market for every hour and every zone, and we labeled it the marginal plant for that hour for that zone. We also assume that all plants whose marginal cost is below the marginal plant participate exclusively in the contracts markets. Further, the marginal plant and all those with higher marginal cost bid exclusively in the spot market.

In order to determine the marginal plant in the unified market (i.e., the counterfactual), we assume that the market share of *Enel* in the contracts market is equal to its share in the spot market. This assumption allows us to roughly predict the amount of electricity that needs to be generated by *Enel* for the contract market. By arranging *Enel*'s plants in decreasing order of efficiency (increasing order of marginal cost), it is straightforward to identify the marginal plant under the assumption that the most efficient plant(s) participate(s) in the contract market. The identification of marginal plants comes at a cost. The method described above implicitly assumes there are no plant shut-downs and start up costs. It also fails to take into account any network imperfections within a zone. Therefore, our predicted expenditure savings could be overstated.

5. Results

5.1 Supply Functions of the Fringes

As discussed in section 3, we follow Wolak (2003) and Hortaçsu and Puller (2008) and smooth step functions in the data using a nonparametric (Kernel density) regression estimation to estimate $\beta_{north,h}$ and $\beta_{south,h}$ and consequently to obtain the slope of the residual demand function RD'.

Let the fringe supply function for zone z for hour h be represented by the pairs $\{(P_1,Q_1),...,(P_n,Q_n)\}$. The smoothed version of this function will be

$$Q^f = \sum_{i=1}^n Q_i K \left(\frac{P - P_i}{\theta} \right) \tag{10}$$

where K (.) is a kernel function and θ is the smoothing or bandwidth parameter. The derivative of the supply function is given by:

$$\frac{\partial Q^f}{\partial P} = \sum_{i=1}^n Q_i \frac{1}{\theta} K' \left(\frac{P - P_i}{\theta} \right) \tag{11}$$

 $\frac{\partial Q^f}{\partial P}$ is an estimate of the slope $\beta_{z,h}$ of the fringe's supply function in zone z in hour h.

Graph 6 presents the results for $\beta_{n,h}$ and $\beta_{s,h}$. Since data inspection indicates that the fringe has a larger presence in the North than in the South, one should find *Enel* to be more responsive to prices in the North than in the South. Graph 6 clearly shows that, as expected, the slopes of the fringe supply in the North are larger than in the South for all hours.

5.2 Enel's Objective Function

Before simulating the market under the alternative market regime of no transmission constraint, we characterize the objective function of *Enel* as described in Section 3. *Enel* places a weight α on profit and $1-\alpha$ on consumer welfare. We compute α for every hour by equating observed prices in both zones with the prices predicted from the first order conditions of the objective function (4). We compute the overall α in the integrated market as a weighted average of α_n and α_s . Characteristics of computed α are presented in Table 2. On average α takes the value 0.66 with a low standard deviation of 0.04. Such results are comforting, taking into account the fact that in 2004 around 60% of *Enel* was

owned by private investors and around 40% by the Italian treasury. The weight on profits is higher in the North and lower in the South.

Given *Enel's* estimated relative weights on profit and on consumer surplus (reflecting its actual relative concerns on the two components), their heterogeneous distribution across zones may be consistent with strategies aimed both at deterring prospective entry through limit pricing, and at appeasing the regulator, probably for fear that a relevant price difference may be perceived as the result of market power exploitation, and thus may lead to regulatory retaliation. ^{xvi} In fact data suggest that *Enel* aligns (by selecting an appropriate pair of α_n and α_s) the prices between the North and the South, probably for one of the two above mentioned reasons. ^{xvii} Observe that, given the specific nature of Enel's objective function, it may well be that α represents a credible commitment and therefore limit pricing could be a viable strategy. ^{xviii}

5.3 Simulations in the Alternative Market

After characterizing the objective function of *Enel*, we simulate the market under the alternative market structure of no transmission congestion.

We employ an iterative procedure to obtain the equilibrium in the integrated market regime. First, we identify the marginal plant in the interconnected market using the method discussed in Section 4.6. Then, we order *Enel*'s plants that participate in the spot market in a decreasing order of efficiency. Later, we calculate the objective function–maximizing output for the most efficient plant ignoring the plant's generation capacity constraint. If that output is feasible (i.e. lower than the plant's generation capacity), it is the equilibrium quantity. Otherwise, we consider the two most efficient plants and reiterate the process.

We present simulated prices and quantities in Graphs 7 and 8 respectively. Hourly average prices in the integrated market are well below the average prices in the South and are very close to the prices in the North.

Graph 8a) shows that, under the C regime, on average, 1396 MWhs of electricity are transferred, and transfers represent on average 16% of total spot market production (47% of average production in the South). Graph 8b) shows that in the integrated market (UC regime) the quantity produced by *Enel* slightly increases at the expense of the production of the competitive fringe. Transfers increase as well, especially in the last 6 hours. *Enel*'s market share increases from 56.5% to 57.3%, and transfers increase on average by 51 MWhs (+6%). The maximum increase in transfers is 446 MWhs (+50%).

The simulation results indicate that market integration significantly reduces consumer expenditures. The overall expenditure reduction is above ten million euros for May 2004. Under the assumption that May is a representative month, the expenditure reductions can be estimated to be over 120 Million Euros for 2004. Savings from interconnection are summarized in Graph 9. The maximum gain for end users is observed in hour 22 (9 PM to 10 PM) on 31 May 2004.

Borenstein et al. (2000), in a context of two geographically separated electricity markets (each characterized by a dominant firm facing a competitive fringe) with limited transmission capacity, showed that even relatively small investments in transmission lines may be effective in spurring competition. While we do not introduce any strategic considerations à la Borenstein et al. (2000), our results are consistent with the "thin line" argument, in that considerable savings can be attained under only partial interconnection (i.e. when the transmission capacity is increased by less than 446 MWhs). Table 3 shows that savings from interconnection do *not* increase linearly with the increase of transmission capacity: a 50 Mwh transmission line leads to 5 millions savings, an increase of 150 MWhs is sufficient to obtain savings equal to 8.5 million euros, and most of the savings (91%) can be obtained by allowing an extra 200 MWhs to flow across the two regions.

5.4 Overall Effects of Integration

In this paper we focus our attention on the variation of consumer surplus. In order to develop a full welfare analysis one should be able to include the change in producers' surpluses, the cost of building additional transmission capacity, as well as environmental costs and the opportunity costs incurred due to possible disturbances to the existing transmission network.

As to the costs of increasing interconnection, in 2004, the owner of the Italian infrastructure responsible for interconnection - *Terna* - estimated that it would cost around four hundred thousand euros of labor and material cost per kilometer of interconnection. Though the actual bottleneck occurs only for around one hundred kilometers, and hence the cost would be forty million euros, an improved interzonal transmission network also requires a more efficient intra-zonal transmission mechanism, the cost of which we have no data on. On the other hand, the "thin line" argument developed above could imply that, after an appropriate and thorough cost to benefit analysis, the optimal solution could prescribe a partial increase in the transmission capacity.

By including the producers' surplus into the analysis, one can notice that in the short run the net welfare change is driven by the reduction in production costs after eliminating congestion^{xx}, while expenditure reduction is primarily due to a transfer from producers to consumers. However, the decline

in total expenditure triggered by interconnection uncontroversially leads to a welfare improvement in medium and long runs, where demand elasticity is larger due to the emergence of potential substitution patterns.^{xxi}

6. Robustness and Extensions

In this section we test the robustness of our results to alternative estimation methods for β 's and, most importantly, to an alternative (oligopolistic) hypothesis about the market structure.

6.1 Linear Fringe Supply Functions

Instead of following the step function approach, one can simply assume that the supply curve is linear. While this assumption is clearly restrictive, it simplifies computations, and guarantees the existence of a unique equilibrium.

Equations (1) and (2) are now represented by

$$Q_{n,dh}^f = \gamma_{n,h} + \beta_{n,h} P_{n,dh} + \theta_{n,d} + \varepsilon_{n,dh}$$

$$\tag{1'}$$

$$Q_{s,dh}^f = \gamma_{s,h} + \beta_{s,h} P_{s,dh} + \theta_{s,d} + \varepsilon_{s,dh}$$
(2')

where $\theta_{z,d}$ indicates day fixed effects, and $\varepsilon_{z,dh}$ is the idiosyncratic error for zone z. Equations (1') and (2') have been estimated by using fixed effects (FE) and random effects (RE). xxii

The results of various estimation methods, and the comparisons with the Kernel Density Regression Estimation are presented in Table 4. Estimated α 's are very similar, while estimated β 's are lower for the Kernel Regression in both zones. Prices in the interconnected market range from 50 to 51.6 and savings from interconnections range from 9.1 to 10.9 million euros^{xxiii}.

6.2. Oligopoly Structure

In the baseline model, *Enel* is assumed to be the only firm with market power. In this subsection we extend our analysis to the oligopoly case. Borenstein et al. (2000) modelled the California's electricity market at the time of deregulation, early in 1998, as divided in two distinct regional markets. In each zone a dominant firm (Pacific Gas & Electric with a 60% market share in the region North of the Path 15 transmission constraint and Southern California *Edison* with 45% in the Southern region) was facing a competitive fringe. In a recent work, Puller (2007) modelled the Californian electricity market in the post-divestiture years (1998-2000) as a unified market with the 5 largest firms a strategic players and the remaining ones as part of the competitive fringe.

The Italian market structure in 2004 resembles closely to the Californian one at the time of deregulation, with the substantial exception that the dominant player is *Enel* in both regional markets (88% of capacity in the South and 45% in the North). This is why we believe in a monopolistic industry structure, which we analyse in our baseline model. However, we have also explored the implications of an alternative assumption involving a duopolistic structure. In this model, *Enel* and *Edison* play a Cournot game facing a competitive fringe in both zones as well as in the integrated market. The details of the model are reported in the Appendix.

At first, we estimated a new fringe supply which excludes Edison's bids^{xxvii} and thus obtain the new slopes of the residual demand function $(\frac{\partial Q_{z,h}^r}{\partial P_{z,h}} = -\beta_{z,h}^r)$. Second, from the first order conditions of the

Cournot model we estimate the new weight $\alpha'_{z,h}$ attributed to profits in *Enel's* objective function.

$$\alpha'_{z,h} = \frac{Q_{z,h}^{spot}}{\gamma'_{z,h} + Q_{z,h}^{Edison} + 2Q_{z,h}^{Enel} - C'(Q_{z,h}^{Enel})} \frac{\partial Q_{z,h}^r}{\partial P_{z,h}}$$

$$(5')$$

From the first order condition for *Edison*, its best response function obtains:

$$Q_{z,h}^{Edison} = \frac{Q_{z,h}^{spot} - Q_{z,h}^{Enel} - \gamma'_{z,h} - C'(Q_{z,h}^{Edison})\beta'_{z,h}}{2}$$
(13)

Equation (13) can be used to obtain simulated values of $Q_{z,h}^{Edison}$ to be compared with the observed actual quantities in order to verify the plausibility of the duopoly assumption.

In the integrated market, assuming an average value of α' , and solving for the optimal quantities of Q_h^{Enel} and Q_h^{Edison} , it is possible to estimate the prevailing price as follows:

$$P_{h} = \frac{(1 - \alpha_{h})Q_{h}^{spot} + \alpha_{h} \left(\left[C'(Q_{h}^{Enel}) + C'(Q_{h}^{Edison}) \right] \frac{\partial Q_{h}^{r}}{\partial P_{h}} - (Q_{h}^{Enel} + Q_{h}^{Edison}) \right)}{2\alpha_{h} \frac{\partial Q_{h}^{r}}{\partial P_{h}}}$$

$$(8')$$

where $\frac{\partial Q_h^r}{\partial P_h} = -(\beta'_{north} + \beta'_{south})$ is the slope of the residual demand in the integrated market.

The estimated values of $\alpha'_{n,h}$ and $\alpha'_{s,h}$ turn out to be on average slightly higher as compared to the *baseline* model (0.698 and 0.631, respectively). This is consistent with the intuition that, given the observed prices $P_{z,h}$, in a more competitive environment *Enel* should put more weight on profits.

Table 5 shows that in the integrated market the price would fall down to 47.39, and the total consumer expenditure would reduce from 166.6 to 141.4 million euro, implying a total saving of 25 million euros. The oligopoly model, however, is an accurate representation of reality only if the actual market data prove to be compatible with the model prediction. In fact, by comparing the estimated values of $Q_{z,h}^{Edison}$ resulting from equation (13) to the actual values produced by Edison, we record large differences, especially in the hours with low demand (during the night and early in the morning). Also, the average differences between the actual supply of Enel and estimated values of $Q_{z,h}^{Enel}$ are higher with respect to the baseline case.

An alternative intuition for this is provided by looking at equation (12) in the Appendix. By considering the estimated values of $Q_{z,h}^{Edison}$ and $Q_{z,h}^{Enel}$, it is possible to estimate the prices that would prevail in an oligopoly setting and compare them to the actually observed ones. Our results show that observed prices in the two zones are rather different than the expected ones (47.59 euros in the North and 54.02 euros in the South). The simulated total expenditure is 147.8 million euros (smaller than the actual expenditure of 166.6 million euros), and the savings due to interconnection are 6.4 million euros. These figures are reported in Table 5, which compares the results of our baseline model (rows two and four) with the ones stemming from the duopoly simulation (last two rows).

Observe that the reduction of consumer expenditures under full interconnection is higher (10.3 million euros) if the starting point is a market structure with a dominant firm and a competitive fringe than under a duopoly facing a competitive fringe (6.4 million euros). A possible intuition for the result is that the benefits from *Enel*'s plants reshuffling are harder to achieve under the additional constraint imposed by *Edison*'s strategic behavior.

7. Conclusion

The paper analyzes the benefits for end users associated with eliminating transmission bottlenecks across zones in the Italian electricity spot market.

The simulation of such benefits requires knowledge of the objective function of *Enel*, the major generator in the market. There are many reasons to believe that mere short-run profit maximization does not apply to *Enel*. Our results confirm that the expenditure minimization is a significant component of *Enel*'s objective function. In particular, we find that *Enel* associates a weight of 66% to short-run profits and the remaining 34% to expenditure minimization. The incentives towards expenditure minimization may stem either from long-run profit considerations (related to the need to

prevent regulatory retaliation and entry), or from State ownership and orientation to consumer surplus. Under the assumption that these weights do not change after the elimination of the transfer constraints, we find that the total expenditure savings to the end-users under the complete elimination of transmission bottlenecks would be more than ten million euros in the month of May 2004, our sample period. These savings are driven by the reshuffling of production across plants by *Enel*, that in the interconnected market can better exploit the most efficient generation units in the North, as well as by a transfer from producers to end-users. Since May can be regarded as a representative month in terms of the saturation occurrence rate, we may speculate that yearly expenditure saving to end-users in the spot market would amount to more than 120 Million Euros. There are reasons to believe that a no-arbitrage condition would ensure that the contracts market would – at least partially - match the spot market in terms of price reduction.

Moreover, our analysis shows that savings are not a linear function of the size of new transmission lines. Even a relatively small increase in the interconnection capacity – a thin line – can be effective in reducing prices and bringing benefits to electricity consumers.

Such results are based on the assumption that *Enel* is a dominant player that faces a competitive fringe in both zones. We also extend our analysis to include the possibility that the second largest producer on the Italian spot electricity market, *Edison*, is a strategic player, and find that the observed prices do not support the duopoly assumption. If, in theory, we were actually in a duopoly, savings would be lower than in a monopoly.

While data constraints prevent us to develop a full welfare analysis, our results show that improving market interconnection is substantially increasing consumer surplus in the short run (when electricity demand is rigid), and is very likely to have important total welfare effects in the long run (when demand is elastic and price reductions *per se* display an efficiency-enhancing effect beyond the mere transfer from producers to consumers).

References

- Baldick, R. and W. Hogan (2006), "Stability of supply function equilibria: Implications for daily versus hourly bids in a poolco market." *Journal of Regulatory Economics*, 30(2):119-139.
- Boffa, F. and V. Pingali (2006), "Interconnection, Congestion and Welfare in the Italian Electricity Market", *HERMES Working Paper Series*, 6.
- Bolle, F. (1992), "Supply Function Equilibria and the Danger of Tacit Collusion." *Energy Economics* 14(2): 94-102

- Borenstein S., J. Bushnell (1999), "An Empirical Analysis of the Potential for Market Power in California's Electricity Industry", *The Journal of Industrial Economics*, XLVII, 3, 285-323.
- Borenstein, S., J. Bushnell and S. Stoft (2000), "The Competitive Effects of Transmission Capacity in a Deregulated Electricity Industry." *The Rand Journal of Economics* 31(Summer): 294-325
- Borenstein, S., Bushnell J.B. and Wolak F. A. (2002) "Measuring Market Inefficiencies in California's Restructured Wholesale Electricity Market", *American Economic Review*, 92, 1376-1405.
- Green, R. and D. Newbery (1992), "Competition in the British Electricity Spot Market." *The Journal of Political Economy* 100(5): 929-953
- Harvey, S, W. Hogan and S. Pope (1996), "Transmission Capacity Reservations Implemented Through a Spot Market with Transmission Congestion Contracts.", *The Electricity Journal*, 9, (9), 42-55.
- Hortaçsu, A. and S. Puller (2008), "Understanding Strategic Bidding in Multi-Unit Auctions: A Case Study of the Texas Electricity Spot Market." *The RAND Journal of Economics*, 2008, *39*(1), 86-114.
- Johnsen, A., S. Verma and C. Wolfram (2004), "Zonal Pricing and Demand-Side Responsiveness in the Norwegian Electricity Market." *Working Paper 063, POWER*.
- Joskow, P. and J. Tirole (2005), "Merchant Transmission Investment." *The Journal of Industrial Economics* 53(2): 233-264
- Puller, S. (2007), "Pricing and Firm Conduct in California's Deregulated Electricity Market.", *The Review of Economics and Statistics*, 89(1): 75-87.
- Sweeting, A. (2007), "Market Power in the England and Wales Wholesale Electricity Market 1995-2000." *Economic Journal*, 117, 654-685.
- Wolak, F. (2000), "An Empirical Analysis of the Impact of Hedge Contracts on Bidding Behavior in a Competitive Electricity Market." *International Economic Review* 14(2): 1-39
- Wolak, F. (2003) "Identification and Estimation of Cost Functions Using Observed Bid Data: An Application to Electricity Markets", in Dewatripont M., Hansen L. P. and Turnovsky S. J. (Eds.), Advances in Economics and Econometrics: Theory and Applications, Vol II.
- Wolfram, C. (1999), "Measuring Duopoly Power in the British Electricity Spot Market.", *American Economic Review* 89(4): 805-826

Appendix: Oligopoly Structure

Differently from the baseline model, in which a dominant firm faces a competitive fringe in both zones, we consider now the case of two asymmetric firms, *Enel* and *Edison*, facing the residual demand by playing a quantity game. In the separated markets case, *Enel*'s objective function is

$$\max_{Q_{n,h},Q_{s,h}} \sum_{z=n,s} \left[\alpha_{z,h} \left(P_{z,h} Q_{z,h}^{Enel} - C(Q_{z,h}^{Enel}) \right) + \left(1 - \alpha_{z,h} \right) \left(- P_{z,h} Q_{z,h}^{spot} \right) \right] \tag{4'}$$

and the residual demand function (denoted with $Q_{z,h}^r$) faced by the two oligopolists after subtracting the fringe production is:

$$Q_{z,h}^{r} = Q_{z,h}^{Enel} + Q_{z,h}^{Edison} = Q_{z,h}^{spot} - Q_{z,h}^{f} = Q_{z,h}^{spot} - \gamma_{z,h}^{'} - \beta_{z,h}^{'} P_{z,h}$$

where $\gamma_{z,h}$ is the intercept and $\beta_{z,h}$ is the slope of the fringe supply in zone z in hour h. After having estimated the supply functions of the fringe, from the first order conditions of *Enel* it is possible to compute $\alpha_{z,h}$:

$$\alpha'_{z,h} = \frac{Q_{z,h}^{spot}}{\gamma'_{z,h} + Q_{z,h}^{Edison} + 2Q_{z,h}^{Enel} - C'(Q_{z,h}^{Enel}) \frac{\partial Q_{z,h}^r}{\partial P_{z,h}}}$$

$$(5')$$

where $\frac{\partial Q_{z,h}^r}{\partial P_{z,h}} = -\beta_{z,h}^r$ is the slope of the residual demand function. The objective function of the small

oligopolist *Edison* is:

$$\max_{Q_{n,h},Q_{s,h}} \sum_{z=n,s} \left(P_{z,h} Q_{z,h}^{Edison} - C \left(Q_{z,h}^{Edison} \right) \right) \tag{4"}$$

Given the inverse residual demand function:

$$P_{z,h} = \frac{Q_{z,h}^{spot} - Q_{z,h}^{Enel} - Q_{z,h}^{Edison} - \gamma_{z,h}'}{\beta_{z,h}'}$$
(12)

the best response function for Edison turns out to be:

$$Q_{z,h}^{Edison} = \frac{Q_{z,h}^{spot} - Q_{z,h}^{Enel} - \gamma_{z,h}' - C'(Q_{z,h}^{Edison})\beta_{z,h}'}{2}$$
(13)

In the integrated market, the fringe supply and the residual demand result from the summation of the two zonal fringes and residual demands, respectively. Assuming that α' in the integrated market is the weighted average of $\alpha'_{n,h}$ and $\alpha'_{s,h}$, *Enel's* and *Edison's* objective functions are given by

$$\max_{Q_h^{Enel}} \alpha_h \left[P_h Q_h^{Enel} - C(Q_h^{Enel}) \right] - (1 - \alpha_h) P_h Q_h^{spot}$$
(7')

$$\max_{Q_h^{Edison}} P_h Q_h^{Edison} - C(Q_h^{Edison}) \tag{7"}$$

where
$$P_h$$
 is $P_h = \frac{Q_h^{spot} - Q_h^{Enel} - Q_h^{Edison} - \gamma'_{north} - \gamma'_{south}}{\beta'_n + \beta'_s}$

and
$$Q_h^{spot} = Q_{n,h}^{spot} + Q_{s,h}^{spot}$$
, $Q_h^{Enel} = Q_{n,h}^{Enel} + Q_{s,h}^{Enel}$, $Q_h^{Edison} = Q_{n,h}^{Edison} + Q_{s,h}^{Edison}$.

From the first order conditions we obtain the best response functions and the corresponding optimal quantities and equilibrium prices:

$$P_{h} = \frac{(1 - \alpha_{h})Q_{h}^{spot} + \alpha_{h} \left[\left[C'(Q_{h}^{Enel}) + C'(Q_{h}^{Edison}) \right] \frac{\partial Q_{h}^{r}}{\partial P_{h}} - \left(Q_{h}^{Enel} + Q_{h}^{Edison} \right) \right]}{2\alpha_{h} \frac{\partial Q_{h}^{r}}{\partial P_{h}}}$$

$$(8')$$

$$Q_{h}^{Enel} = \frac{(2 - \alpha_{h})Q_{h}^{spot} - \alpha_{h}(\gamma'_{n} + \gamma'_{s}) + \alpha_{h} \frac{\partial Q_{h}^{r}}{\partial P_{h}} [2C'(Q_{h}^{Enel}) - C'(Q_{h}^{Edison})]}{3\alpha_{h}}$$


$$(9')$$

$$Q_{h}^{Edison} = \frac{(2\alpha_{h} - 1)Q_{h}^{spot} - \alpha_{h}(\gamma'_{n} + \gamma'_{s}) + \alpha_{h} \frac{\partial Q_{h}^{r}}{\partial P_{h}} [2C'(Q_{h}^{Edison}) - C'(Q_{h}^{Enel})]}{3\alpha_{h}}$$

$$(9")$$

where γ_n and γ_s are the intercepts of the fringe supplies and $\frac{\partial Q_h^r}{\partial P_h}$ is the slope of the residual demand in

the integrated market (that is $\frac{\partial Q_h^r}{\partial P_h} = -(\beta_n^r + \beta_s^r)$).






Figure 2. Enel's Demand in the two zones




Figure 2.b (South)

Figure 3. Summation of Fringe Supply Functions in the Unified Market




Figure 4. Deriving the Demand for Enel in the Unified Market





Table 1: Sample Characteristics

Total Days	31	Weekend Days	10	Weekdays*	21
Total Hours Considered		Hours where Prices are		Hours where Prices	
	504	the same	195	Differ	309

^{*} No other holidays in this month

Source: Calculated from the data in the Italian Electricity Market website (http://mercatoelettrico.org)


Graph 1: Average Hourly Price Difference (Price in the South - Price in the North)



Source: Calculated from the data in the Italian Electricity Market website (http://mercatoelettrico.org)

Note: Calculated for 21 days in May 2004

Graph 2: Zonal Average Hourly Quantities



Source: Calculated from the data in the Italian Electricity Market website (http://mercatoelettrico.org)


Note: Calculated for 21 days in May 2004



Graph 4: Enel's Marginal Costs for North and South Marginal Costs Marginal Cost MC South MC North Total Capacity (MWh)

Source: Proprietary dataset from REF

Graph 5: Hourly Average Liquidity



Source: www.mercatoelettrico.it

Graph 6: Estimated β's




Table 2: Characteristics of $\alpha_{z,h}$

	$\alpha_{n,h}$	$\alpha_{s,h}$	
Min	0.57	0.54	
Max	0.98	0.73	
Median	0.68	0.62	
Average	0.69	0.63	
Standard Deviation	0.07	0.04	
	$lpha_{z,h}$		
Simple Average	0.66		
Standard Deviation	0.06 $\alpha_{\scriptscriptstyle h}$		
Weighted Average	0.66		
Standard Deviation	0.04		

Weights given by *Enel*'s spot market production for the hour.


Note: Calculated for all hours where price difference is non-zero

Graph 7: Simulated Vs. Actual Prices



Note: Calculated for all hours where prices in the North and the South are different


Graph 8: Simulated Vs. Actual Quantities




8a) Actual quantities

Note: Calculated for all hours where prices in the North and the South are different

8b) Simulation results: variation in quantities and in transfers



Graph 9: Hourly Average Savings



Note: Calculated for all hours where price difference between zones is not zero

Table 3. Interconnection Gains and Transmission Capacity

Increase in Transmission (MWhs)	Expenditure Savings from Interconnection (Euro)		
50	5,059,060		
100	6,763,641		
150	8,512,196		
200	9,433,293		
300	9,601,229		
446	10,275,532		

Table 4. Comparison Across Estimation Methods

	Kernel	Random Effects	Fixed Effects
Average β * in North	21.25	22.52	22.64
Average β * in South	5.41	5.90	5.90
Average α in North	0.693	0.690	0.700
Average α in South	0.629	0.627	0.627
Price with interconnection (Euro/MWh)	51.04	51.55	50.04
Savings from interconnection for May 2004 (Million Euro)	10.28	9.09	10.93

^{*}Average values across the 24 hours.

Table 5. Actual Figures Versus Oligopoly Simulations

	Prices			Consumer
				Expenditure
				(Million euro)
	North	South	Integrated	
			Market	
Actual Data				
Actual prices (Euro/MWh)	51.44	56.57	-	166.6
Simulated Data				
Dominant Firm in integrated market	-	-	51.04	156.3
Duopoly with fringe in both zones	47.59	54.02	-	147.8
Duopoly with fringe in integrated market	_	-	47.39	141.4

End Notes:

^{*} We are indebted to Robert Porter, John Panzar and Andrew Sweeting for several insights throughout this project. We also thank James Dana and Shane Greenstein for useful suggestions. Discussions with Michael Coates, Reinout DeBock, Pablo Guerron, Jakub Kastl, Lynne Kiesling, Piotr Kuszewski, Dan Liu, Lyndon Moore, Arijit Mukherjee, Maria Salgado and Fan Zhang are gratefully acknowledged. All errors and omissions are solely our responsibility. Viswanath Pingali acknowledges financial support from the Transportation Center and the Center for the Study of Industrial Organization, Northwestern University. Davide Vannoni acknowledges financial support from Regione Piemonte - Converging Technologies Research Project ICT4Law.

Department of Legal and Economic Studies, University of Macerata, Italy, federico.boffa@unimc.it

[§]Senior Manager, Dr. Reddy's Laboratories, Hyderabad, India, viswanathp@drreddys.com

Department of Economics "G. Prato", University of Torino, and HERMES, Torino, Italy, vannoni@econ.unito.it

¹ Limit pricing as a reasonable strategy is discussed in Section 5.2.

We do not consider the ownership of the transmission network and assume that the entire transmission network is under the control of a public authority. In 2004, private investment in transmission network was banned in Italy. See Joskow and Tirole (2005) for arguments against and Harvey, Hogan and Pope (1996) for arguments in favor of merchant transmission.

iii The market structure described here is relevant for the sample period (May 2004). In some cases market rules have changed since then.

iv Roughly 60% and 15% of electricity consumption in France and Germany, respectively, is produced by nuclear power plants. In the last months of 2008 the Italian Government devised new plans to build nuclear power plants.

The Electricity price paid by the residential sector is a politically sensitive issue. Therefore, though in principle it is supposed to be set as a weighted average of all the spot market clearing prices (with weights being quantities consumed), several considerations play a role during the review.

vi Each generator for every MWh sold through bilateral contracts has to pay (receive) the difference, if positive (negative), between the average spot market price and the zonal price.

vii We assume that the transfer is from North to South only. The rationale behind such assumption is two-fold. First, electricity flowing from South to North is never recorded and second, the most efficient generators are localized in the North

viii The linear functional form for the supply curve simplifies computations, and guarantees the existence of a unique equilibrium. Notwithstanding its limitations, it is common in the electricity literature. See, for example, Green and Newbery (1992), Bolle (1992) and Baldick and Hogan (2006).

ix For ease of exposition, we omit here and in the subsequent formulas the subscript d relative to each day.

^x In any event, we would not be able to analyze the contract market explicitly due to a lack of data.

xi http://www.mercatoelettrico.org/GmeWebInglese/Default.aspx

xii If a generator has substantial commitments in the contract markets for the next hour with none at a given hour, he might find it optimal to ensure spot market participation in that hour. Significant startup costs suggest that shutting down the plant for that hour is not an economically viable option. From some informal discussions with a few fringe generators, it was evident that they have a fairly good idea of the interval in which market clearing price will be realized.

xiii Excluding Sicily and Sardinia, we considered 70 thermoelectric plants owned by *Enel* (45 in the North and 25 in the South). The step cost functions for the other generators are similar. For example, Edison has 19 plants of which 12 are localized in the North. Edison's marginal costs range from 27 to 50.4 euros (the latter are attained at an aggregate capacity of 4454 MWh).

xiv The Italian law forbids generators from signing bilateral contracts directly. These generators operate in long-term contracts market via the retailers.

xv We used a total of 22,403 actual bids (19,208 placed in the North and 3,195 placed in the South). The minimum number of observations is 45 (hour 5 in South) and the maximum number of observations is 1273 (hour 22 in North). See Boffa and Pingali (2006) for further details. We used a normal kernel density and the smoothing parameter $\theta = 1$.

xvi A political economy story, according to which Enel's behavior reflects an incentive to favor Southern consumers and firms, can be dismissed if one considers that the price consumers pay is invariant across zones (it is a weighted average of zonal prices received by the producers in the various zones).

xvii To be more specific, this "redistribution" across zones does not affect consumers (who pay anyway an average price irrespective of the zone in which they are located), and becomes irrelevant in the integrated market. However, as long as the

market remains unintegrated, a low alpha in a certain region may be reflective of other concerns (such as limit pricing or appeasing the regulator by aligning the prices in the two zones).

- The usual argument that under observability of marginal cost limit pricing is not credible, should not apply in this environment due to the concerns for consumer surplus.
- xix Therefore, keeping into account the additional fact that more than one month of data on bids, observed prices and quantities would be required, a full cost benefit analysis is beyond the scope of the present paper.
- xx To that respect, our data show that there were hours where Enel's plants in the North with marginal cost less than twenty seven euros were idle, while in the South plants with marginal cost more than forty euros were in operation. Therefore Enel has a chance to reorganize its production plans and reduce its total costs. But this is accomplished at the expense of fringe suppliers' profits.
- xxi Notice also that, given the form of its objective function, Enel takes advantage from a reduction in consumer expenditure triggered by the additional interconnection, and might therefore have an incentive to invest in new transmission capacity.
- As there are several factors that could influence the fringe firms' bids on a given day, it is likely that their bidding pattern is different across days. Any supply function estimation that does not take into account such differences – as in the case of OLS estimation - is likely to create a bias in the estimates of the slope parameters.
- xxiii For more details on the estimation of a linear fringe supply, see Boffa and Pingali (2006), who have moreover considered the empirical shortcut of estimating a linear marginal cost function for Enel.
- xxiv Borenstein and Bushnell (1999) developed a simulation model which included also San Diego Gas & Electric as a further strategic player in a unified (i.e. by assuming the absence of transmission constraints) model of the California's electricity market.
- xxv AES, Reliant, Duke, Southern and Dynegy were broadly of the same size and were responsible for 50% of the total
- generation capacity.

 xxvi Still excluding Sicily and Sardinia, Edison market share was 21% in the North and 5% in the South (13.5% overall), while the third biggest player, Endesa was operating only in the North with a market share of 17% (9% in the whole market). All the other players (among which Enipower and Tirreno) had market shares below 5%.
- xxvii The total number of observations is now 17,803 (15,094 bids placed in the North and 2,709 bids placed in the South).

Corso Unione Sovietica 218 bis - 10134 Torino (ITALY)
Phone: +39 011 6706128 - Fax: +39 011 6706062
Web page: http://eco83.econ.unito.it/prato/